

MSDS No: 0110 Validation Date: 04/27/04 Revision No: 1

Material Safety Data Sheet

SPS Internal # Product I.D.:

Volara Type EO All Colors, All Densities

Volara Type EO Derivatives: EO, EOH, EOL, ESX, ETX

SECTION 1: IDENTIFICATION

Product Name:

Volara

Chemical Name:

Crosslinked Polyolefin Foam

Synonyms:

Polyolefin Foam

Chemical Family:

Polymeric; Polyolefin Plastic

Manufacturer:

Voltek, LLC

100 Shepard Streat

Lawrence, MA 01843

Telephone Numbers:

Emergency:

(M-F: 8-5 EST)

(Weekends/Evenings)

978-685-2557

978-685-6186

Non-Emergency:

(Customer Service)

(General) 978-685-2557

800-225-0668

SECTION 2: COMPOSITION

This product is considered to be an article according to 29 CFR, hazardous communication - 1910.1200(b)(6)(v)

OSHA REGULARITY STATUS

While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.

SECTION 3: HAZARD IDENTIFICATION

Emergency Overview:

Hazards:

Molten polymer will cause thermal burns to skin.

When heated irritating fumes may be produced.

Physical State:

Solid

Çolor:

According to product color.

Odor:

Faint, mild hydrocarbon odor.

Potential Health Effects:

Routes of Exposure:

Poses no immediate hazard.

Signs and Symptoms

Of Acute Exposure:

No known acute exposure effects.

Eye:

Solids or dusts may cause irritation or scratch the surface of the eye.

Skin:

Not Irritating. Heated foam can stick to skin, causing thermal burns.

Ingestion:

ingestion not a likely route of exposure.

Inhalation:

Inhalation of fumes and vapors generated by heating foam may cause soreness

or irritation in the nose and throat. Exposure to dust may cause irritation.

Chronic Health Effects:

No known chronic health effects.

Conditions Aggravated

by Exposure:

No known conditions are aggravated by exposure to this material.

SECTION 4: FIRST AID MEASURES

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. For specific information refer to the Emergency Overview in Section 3 of this MSDS.

Eye:

Flush particles from eyes with clean flowing water or eye wash solution for

several minutes. Seek medical attention if discomfort persists.

Skin:

If heated material contacts the skin, immediately quench with cool flowing water.

If foam/polymer sticks to skin, do not peel, seek immediate medical attention. If

the burn is severe, obtain immediate emergency medical attention.

Ingestion:

If Ingested, seek medical attention.

Inhalation:

If symptoms are experienced, move affected individuals to fresh air. Obtain

medical attention if breathing difficulty persists.

SECTION 5: FIRE FIGHTING MEASURES

Flammability

Classification:

Not Classified. Polyolefin foam will burn.

Flash Point / Method:

Not applicable.

Auto-ignition

Temperature:

650 °F (343 °C)

Flammable Limits:

LOWER: Not applicable. UPPER: Not applicable.

Hazardous Combustion

Products:

Typical Polyolefin combustion products: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols

may be formed.

Extinguishing Media:

SMALL FIRE:

Use dry chamical, CO2, water spray

Water Spray LARGE FIRES:

Fire Fighting Instructions:

Protective Equipment/

Clothing:

Wear an approved positive pressure self-contained breathing apparatus and

firefighter turnout gear.

INSTRUCTIONS:

Use flooding quantities of water until well after fire is extinguished.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Release Response:

Pick up and retain for recycle or disposal.

See Section 15: Regulatory Information. Reportable Quantitles: SECTION 7: HANDLING AND STORAGE

Handling:

Keep scrap material off walking surfaces as this can create slipping hazards.

Avoid accumulation of dust in enclosed space. Use in well-ventilated area. Usc

good housekeeping practices during storage, transfer, handling.

Storage:

Recommend storage indoors with adequate fire sprinkler proteotion. Store away from excessive heat, Ignition sources and oxidizing agents. Keep poly-bag container closed to prevent moisture exposure, solling and contamination. Foam

rolls can be heavy, stacking rolls is not recommended.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilate storage and use areas to prevent accumulation of dust and fumes. **Engineering Controls:**

Personal Protection:

Eye:

Safety glasses are recommended.

Skin:

Protective clothing such as long sleeves or a lab coat should be worn.

Inhalation:

Use appropriate respiratory protection.

Page 3 of 5 4/27/04 MSDS No: 0110

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:

Not applicable

pH:

Not applicable

Vapor Pressure:

Not applicable

Viscosity:

Not applicable

Specific Gravity:

0.02 to 0.40 (water = 1)

Water Solublility:

Insoluble

Melting Point:

104 - 138 °C (219 - 280 °F)

Evaporation Rate:

Not applicable

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:

The product is stable.

Conditions to Avoid:

Avoid sparks, open flame or excessive heat. Avoid contact with oxidizers.

incompatibility with:

Material may be softened by some hydrocarbons. Reacts with fluorine gas.

SECTION 11: TOXICOLOGICAL INFORMATION

Product

Summary:

Volara is not considered to be toxic to humans or animals.

ACUTE ORAL

EFFECTS:

None Known.

SKIN EFFECTS:

None Known.

Reproductive /

Development Effects

None known.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Ecotoxicity is expected to be minimal based on the low water solubility of

polymers.

Environmental Fate:

Unknown.

Sioaccumulation:

Unknown.

SECTION 13: DISPOSAL CONSIDERATIONS

Use only licensed transporters and permitted facilities for waste disposal. Recycle whenever possible.

SECTION 14: TRANSPORT INFORMATION

MSDS No: 0110 4/27/04 Page 4 of 5

Proper Shipping

Name:

Crosslinked Polyolefin Foam

DOT Hazard Class:

Not Regulated

UN/NA ID:

Not Regulated

Marine Pollutant:

1,11,1

Unknown

Packing Group:

Not applicable

NAER Guidebook:

Not Regulated

3 54 T

Labels:

Not Regulated

DOT Status:

Not Regulated

SECTION 15: REGULATORY INFORMATION

No additional regulatory information

SECTION 16: OTHER INFORMATION

DISCLAIMER OF RESPONSIBILITY:

The information on this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this MSDS information may not be applicable.